



## HP LaserJet M3035 MFP series

M3035 • M3035xs



Empower workteams with print, copy, scan, fax, and digital sending functionality in one convenient device.

### Efficient

Get more done in less time. The MFP delivers print and copy speeds of up to 35 pages per minute (ppm) and a first page out in under 10 seconds with Instant-on Technology. The unique HP toner formula is engineered to deliver consistent, great-looking documents at fast speeds.

Accelerate existing workflows. The MFP comes standard with send to e-mail, send to network folder, network authentication, and LDAP support embedded in the device for easy integration into your existing infrastructure. Add optional HP Digital Sending Software 4.3 for send to ftp sites and fax services.<sup>1</sup> Consider optional HP AutoStore software to improve paper-intensive workflows by connecting the MFP to document management solutions.

Reduce interruptions. The MFP supports up to 1,100 sheets<sup>2</sup> plus a 20-sheet convenience stapler for easy finishing. A 50-sheet reversing automatic document feeder (ADF) provides effortless copying and scanning of multi-page documents.

### Easy

Experience simple, dependable networking. The MFP features IPv6-ready<sup>3</sup> best-in-class networking and management tools via the HP Jetdirect Fast Ethernet embedded print server. HP Web Jetadmin offers remote installation, configuration, and proactive management.

### Expandable

Add the solutions your business needs. An FIH port, open EIO slot, and host USB port allow you to easily expand the MFP's capabilities. Add HP and third-party solutions such as additional fonts, forms, barcode printing, and market-leading solutions for document capture, job accounting, and security. Get investment protection with access to IPSec TCP/IP security, Gigabit Ethernet, and wireless network compatibility.

### Reliable

Expect consistency. Original HP cartridges are carefully designed with HP Smart printing technology<sup>4</sup> to automatically optimize print quality and consistency throughout cartridge life, provide pages-remaining data and alerts when supplies run low, and facilitate convenient supplies reordering through HP SureSupply.<sup>5</sup>

<sup>1</sup> Fax functionality and 20-sheet convenience stapler come standard on the M3035xs model only and cannot be added to the M3035 model as accessories.

<sup>2</sup> The extra 500-sheet input tray comes standard on the M3035xs model only and can be added to the M3035 model as an accessory.

<sup>3</sup> IPv6 is only supported with Microsoft® Server 2003 and Windows XP® (print only).

<sup>4</sup> Using genuine HP supplies ensures availability of all HP printing features.

<sup>5</sup> For more information, visit [www.hp.com/learn/suresupply](http://www.hp.com/learn/suresupply).

# HP LaserJet M3035 MFP series

HP LaserJet M3035xs MFP shown

- 1 50-sheet reversing automatic document feeder (ADF) supports the two-sided copying and scanning of double-sided originals up to legal size
- 2 Easy-to-use touch-screen control panel with 13-key number pad provides effortless device interaction
- 3 Front door print cartridge access
- 4 100-sheet multipurpose input tray handles heavy custom paper up to 53 lb (199 g/m<sup>2</sup>)
- 5 Adjustable 500-sheet input trays 2 and 3 for a 1,100-sheet input capacity
- 6 20-sheet convenience stapler (M3035xs model only)
- 7 250-sheet output bin
- 8 Automatic two-sided printing
- 9 RJ-11 fax port
- 10 HP Jetdirect Fast Ethernet embedded print server (RJ-45 network port)
- 11 Foreign interface harness (FIH) port supports HP and third-party solutions
- 12 Host USB port for additional functionality
- 13 Hi-Speed USB 2.0 port for direct connection
- 14 256 MB total memory and a powerful 400 MHz processor perform complex tasks quickly
- 15 Open EIO slot for additional functionality
- 16 40 GB built-in hard disk for effective digital sending, private printing, and job storage



## Series at a glance



### HP LaserJet M3035 MFP (CC476A)

- HP Jetdirect Fast Ethernet embedded print server
- Hi-Speed USB 2.0 port
- 256 MB total memory and a 400 MHz processor
- Open EIO slot
- 40 GB built-in hard disk
- 50-sheet ADF automatically scans two-sided documents up to legal size
- Flatbed scanner
- 100-sheet multipurpose input tray and a 500-sheet input tray 2 for a 600-sheet input capacity



### HP LaserJet M3035xs MFP (CC477A)

All the features of the base model, plus:

- Analog faxing
- 20-sheet convenience stapler
- 500-sheet input tray 3 for a 1,100-sheet input capacity

# Simplicity, convenience, and outstanding support make the HP LaserJet M3035 MFP series the perfect choice for small workteams with no time to worry about device management.



## Secure printing

For many businesses, information is one of their most valuable assets. The HP LaserJet M3035 MFP series is designed to protect critical information—in both hardcopy and electronic form—and simplify the way you manage your environment with easy tools and checklists.

- Private Printing lets you protect confidential documents by allowing you to hold a job for printing until you release it using a 4-digit Personal Identification Number (PIN) at the MFP's control panel.
- HP Secure Storage Erase makes sure that data you want to eliminate is unrecoverable. Unless otherwise specified, the MFP deletes data from the hard disk when the print job is finished.

- Our renowned family of HP Jetdirect connectivity products support a wide range of industry-standard and trusted security protocols, including 802.1x for Wired Networks, SNMPv3 and HTTPS, and Secure IPP (IPP-S) and IPSec.<sup>6</sup>
- Network authentication (LDAP, SMTP) adds another layer of security by allowing administrators to control device access. By requiring users to log in, administrators can limit usage of all the device features, or of just the copying or sending functions.

Go to [www.hp.com/go/secureprinting](http://www.hp.com/go/secureprinting) for more information.

## Get the most out of your MFP with HP accessories, supplies, and services.



**Q7817A**  
500-sheet input tray offers an input capacity of up to 1,100 sheets.



**J7989G**  
HP high-performance EIO hard disk provides convenient storage.



**J7961G**  
HP Jetdirect 635n IPv6/IPSec Internal Print Server delivers the latest in network security.



**J7951G**  
Enjoy wireless networking with the HP Jetdirect ew2400 802.11g Wireless External Print Server (USB 2.0).



Choose from a selection of HP Brochure and Flyer papers to create impressive, professional marketing materials.

Put the power of HP Imaging and Printing Services to work to improve productivity and reduce costs. Select predefined

<b>HP LaserJet M3035 MFP</b>	CC476A
<b>HP LaserJet M3035xs MFP</b>	CC477A
<b>Paper handling</b>	
500-sheet input tray	Q7817A
<b>Supplies</b>	
HP LaserJet Black Print Cartridge with Smart Printing Technology. Average cartridge yield 6,500 standard pages. <sup>7</sup>	Q7551A
HP LaserJet Black Print Cartridge with Smart Printing Technology. Average cartridge yield 13,000 standard pages. <sup>7</sup>	Q7551X
Staple cartridge refill (2 cartridges, 1,500 staples each)	Q7432A
<b>Memory/storage</b>	
128 MB 100-pin DDR DIMM	Q7718A
256 MB 100-pin DDR DIMM	Q7719A
HP high-performance serial ATA EIO hard disk	J7989G
<b>Connectivity</b>	
HP Jetdirect en1700 USB 2.0 Print Server <sup>9</sup>	J7988G
HP Jetdirect en3700 USB 2.0 Print Server <sup>9</sup>	J7942G
HP Jetdirect ew2400 802.11g Wireless External Print Server <sup>9</sup>	J7951G
HP Jetdirect 175x Fast Ethernet USB External Print Server <sup>9</sup>	J6035G
HP Jetdirect 630n IPv6 Gigabit Ethernet Print Server	J7997G
HP Jetdirect 635n IPv6/IPSec Internal Print Server	J7961G
HP Jetdirect 620n Fast Ethernet Print Server	J7934G
HP 1284B parallel card	J7972G
Hi-speed USB A to B printer cable (2-meter)	C6518A
<b>Digital sending software</b>	
HP Digital Sending Software 4.3	T1936AA
HP AutoStore	T1943AA
<b>Service and support</b>	
3-year next business day hardware support	UE685E
4-year next business day hardware support	UE686E
5-year next business day hardware support	UE687E
3-year 4 hour response 9x5 hardware support	UE688E
4-year 4 hour response 9x5 hardware support	UE689E
5-year 4 hour response 9x5 hardware support	UE690E
3-year 4 hour response 13x5 hardware support	UE691E
1-year post-warranty 4 hour response 9x5 hardware support	UE694PE
1-year post-warranty 4 hour response 13x5 hardware support	UE695PE
1-year post-warranty next business day hardware support	UE696PE
Network install mid-range LaserJet MFP service	U2010E
<b>Extended warranty options:</b> <a href="http://www.hp.com/support">www.hp.com/support</a>	
<b>Paper</b>	
North America: <a href="http://www.hp.com/go/paper">www.hp.com/go/paper</a>	
Latin America: contact HP via phone:	
USA: 1-800-477-5010, Europe: +800 7644 7644, Asia: 65-6253-8500, Australia/New Zealand: 61-2997-2299LAR, Brasil: sac 0800 70 300 70	
<b>Solutions</b>	
<a href="http://www.hp.com/go/gsc">www.hp.com/go/gsc</a>	

<sup>6</sup> Currently only the HP Jetdirect 635n IPv6/IPSec print server supports Secure IPP (IPP-S) and IPSec capabilities.

<sup>7</sup> Declared yield value in accordance with ISO/IEC 19752. For page yields and other cartridge options, see [www.hp.com/go/pageyield](http://www.hp.com/go/pageyield).

<sup>8</sup> Supports printing only, no software scan, no webscan.

<sup>9</sup> Supports printing only, no webscan.

# HP LaserJet M3035 MFP series

Technical specifications	HP LaserJet M3035 MFP (CC476A)	HP LaserJet M3035xs MFP (CC477A)
<b>Print and copy speed</b>	Up to 35 pages per minute (ppm), letter; up to 33 ppm, A4 <sup>10</sup>	
<b>First page out</b>	Less than 10 seconds	
<b>Resolution</b>	Up to 1200 dpi, FastRes 1200, ProRes 1200 (1200 by 1200 dpi), RET (Resolution Enhancement technology)	
<b>Features</b>		
Copying	Up to 1000 multiple copies, reduce/enlarge from 25 to 400% (from scanner glass), two-sided copying, contrast adjustments, mixed originals, image adjustment, paper selection, content orientation, pages per sheet, booklet format, optimize text/picture, job build, edge to edge	
Scanning	Color flatbed scanner or ADF; scan input modes: front-panel scan, copy, fax (M3035xs only), e-mail; file types: PDF, JPG, TIFF, MTIFF	
Faxing	Not available	Up to 33.6 kbps, auto fax reduction, fax forwarding, fax polling, broadcasting to up to 100 locations, speed dial (up to 100 lists), junk barrier, remote retrieval capability, auto redialing, Windows® faxing supported
Digital sending	Send to e-mail, send to network folder, LDAP and SMTP authentication, LDAP addressing; file formats: PDF, JPG, TIFF, MTIFF	
<b>Processor</b>	400 MHz	
<b>Memory/storage</b>	256 MB DDR RAM (fixed), expandable to 512 MB via one open DDR DIMM slot; Memory Enhancement technology (MET); 40 GB hard disk	
<b>Recommended monthly page volume<sup>11</sup></b>	2,000 to 6,000 pages	
<b>Duty cycle<sup>12</sup></b>	Up to 75,000 pages per month	
<b>Languages and fonts</b>	HP PCL6, HP PCL5, HP postscript level 3 emulation, direct PDF printing (v 1.4); 80 scalable TrueType fonts	
<b>Paper</b>		
Handling	100-sheet multipurpose input tray 1, 500-sheet input tray 2, 50-sheet two-sided reversing automatic document feeder (ADF), 250-sheet output bin, automatic two-sided printing	100-sheet multipurpose input tray 1, 500-sheet input trays 2 and 3, 50-sheet two-sided reversing automatic document feeder (ADF), 250-sheet output bin, automatic two-sided printing, 20-sheet convenience stapler
Sizes	Multipurpose input tray 1: 3 by 5 in (76 by 127 mm) to 8.5 by 14 in (216 by 356 mm); letter, legal, executive, envelopes 500-sheet input trays 2 and 3: 5.8 by 8.3 in (148 by 210 mm) to 8.5 by 14 in (216 by 356 mm); letter, legal, executive automatic two-sided printing unit: letter, legal; flatbed scanner: up to 8.5 by 14 in (216 by 356 mm); ADF: letter, legal, executive, custom	
Weights	Multipurpose input tray 1 (straight through paper path for special paper): 16 to 53 lb (60 to 199 g/m <sup>2</sup> ); 500-sheet input trays 2 and 3: 16 to 32 lb (60 to 120 g/m <sup>2</sup> ); ADF: 16 to 28 lb (60 to 105 g/m <sup>2</sup> )	
Types	Paper (plain, printed, letterhead, prepunched, bond, recycled, color, rough), transparencies, labels, envelopes, card stock	
<b>Connectivity</b>		
Interfaces	One HP Jetdirect Fast Ethernet embedded print server, one Foreign Interface Harness (FIH) port, one USB type A port for adding accessories, one USB type B port for printing, one open EIO slot	One HP Jetdirect Fast Ethernet embedded print server, one Foreign Interface Harness (FIH) port, one USB type A port for adding accessories, one USB type B port for printing, one open EIO slot, one analog fax port
Operating systems	Full software installation: Microsoft® Windows® XP® (32-bit), Windows Server 2003 (32-bit), Windows 2000; printer driver only: Windows XP (64-bit) (Web only); Windows Server 2003 (64-bit) (Web only); Linux (Web only); UNIX model scripts (Web only); Mac OS X v10.2.8, v10.3, v10.4 and later	
Network protocols	IPv6: <sup>13</sup> DHCPv6, HTTP, HTTPS, Port 9100, LPD, IIP, Secure IIP, MLDv6, ICMPv6 IPv4: FTP, IPP, Secure IPP, Auto-IP, Apple Bonjour Compatible, Telnet, SLP, IGMPv2, BOOTP/DHCP, WINS, SNMPv1/v2c/v3, TFTP, HTTP, HTTPS, Port9100, LPD Other: IPX/SPX, DLC, LLC, AppleTalk, Network NDS, Binary, NCP	
<b>Security</b>	Private print, HP Secure Storage Erase, network authentication (LDAP, SMTP), HP Jetdirect - 802.1x for Wired Networks, SNMPv3 and HTTPS, Secure IPP (IPP-S), and IPsec <sup>13</sup>	
<b>Dimensions (W by D by H)</b>	20.5 by 20 by 21.7 in (520 by 508 by 550 mm)	20.5 by 20 by 27.2 in (520 by 508 by 690 mm)
<b>Weight</b>	60.6 lb (27.6 kg)	73.5 lb (33.4 kg)
<b>What's in the box</b>	Both models include: print cartridge, support flyer, power cord, control panel overlays, software/documentation CD, Getting Started Guide, wall poster Also includes: HP LaserJet M3035 MFP	Also includes: HP LaserJet M3035xs MFP (with 20-sheet convenience stapler, analog fax, additional 500-sheet input tray), phone cord
<b>Warranty</b>	One-year on-site warranty; 24-hour, 7 days a week phone support	

<b>Environmental ranges</b>	Recommended temperature: 63 to 77 degrees F (17.5 to 25.0 degrees C) Storage temperature: -4 to 104 degrees F (-20 to 40 degrees C) Operating relative humidity: 30 to 70 percent, non-condensing Altitude: 0 to 10,000 ft (0 to 3,100 m)	<b>Acoustics<sup>15</sup></b> Sound power: Active: 6.5 B(A) printing, 6.8 B(A) copying, Ready: inaudible Bystander sound pressure: Active: 56 dB(A) printing, 54 dB(A) copying, Ready: inaudible
<b>Power specifications<sup>14</sup></b>	Required input voltage: 110-volt models: 110 to 127 volts (± 10 percent), 60 Hz (±2 Hz), 7.5 amp 220-volt models: 220 to 240 volts (± 10 percent), 50 Hz (±2 Hz), 4.5 amp Power consumption: Printing: 610 watts; Copying: 620 watts; Ready: 28.5 watts; Sleep: 24.0 watts; Off: 0.1 watts	<b>Certifications</b> Safety: Canada (cUL-CAN/CSA C22.2 No.60950-1-03), USA (UL-LUL 60950-1; FDA-21 CFR Chapter 1 Subchapter J for lasers). Class 1 Laser/LED Product. EMC: CISPR 22:1993 / EN 55022:1994 Class A, EN 61000-3-2:2000, EN 61000-3-3:1995, EN 55024:1998, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 4 / GB9254-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC, and carries the CE-Marking accordingly
Typical Electricity Consumption (TEC): 6.331 kWh/Week ENERGY STAR <sup>®</sup> qualified models; see <a href="http://www.hp.com/go/energystar">www.hp.com/go/energystar</a>		Telecom: TBR-21:1998; EG 201 121:1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico) HP SureSupply enabled: To learn more, please visit <a href="http://www.hp.com/go/suresupply">www.hp.com/go/suresupply</a>

<sup>10</sup> Exact speed varies depending on the system configuration, software program, and document complexity. Speed specifications have been updated to reflect current industry testing methods.

<sup>11</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>12</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>13</sup> IPv6 is only supported with Microsoft Server 2003 and Windows XP (print only).

<sup>14</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>15</sup> Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.



© Copyright 2007 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corp. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

To learn more, visit [www.hp.com](http://www.hp.com)  
4AA1-5419ENUC, September 2007

